JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 376 (1989)

SUBJECT INDEX

Aluminium

1-Aminoalkanephosphonic acids, addition of diethyl phosphite to *N*-diisobutylaluminio-aldimines (Z.H. Kudzin, M.W. Majchrzak), (376) 245

Antimony

Antimony-iron mixed carbonyl clusters: $[R_4N][SbFe_4(CO)_{16}]$ (R = Me, Et) and $[Et_4N]_2[Sb_2Fe_6(CO)_{20}]$, synthesis and structures of (S. Luo, K.H. Whitmire), (376) 297

Arsenic

η^3-Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmair, F.R. Kreissl), (376) 45

Tetraarsacyclobutadiene as a complex ligand (O.J. Scherer, J. Vondung, G. Wolmershäuser), (376) C35

Boron

[Diphenylboratobis(η^5-cyclopentadienyl,η^6-phenylruthenium(II)]$^+$ cation, formation mechanism of (T. Wilczewski), (376) 385

Chromium

(Benzyl crotyl ether)chromium complexes, [2,3]-Wittig rearrangement of (M. Uemura, H. Nishimura, Y. Hayashi), (376) C3

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

$\{\eta^6$-1,4-$(CH_3SO_3)_2C_6H_4\}Cr(CO)_3$, synthesis, characterization, and reactivity of (M.E. Wright), (376) 353

Halo/n-alkyl mixed chromium(III) compound, synthesis, structure, and reactivity of $Cr(n\text{-}Bu)_2Cl$-$[(Me_2PCH_2)_3CMe]$ (E.G. Thaler, K. Folting, J.C. Huffman, K.G. Caulton), (376) 343

Cobalt

Allylperoxycobalt(III) tetraphenylporphyrin, formation and structure of (W. Mikolaiski, G. Baum, W. Massa, R.W. Hoffmann), (376) 397

Binuclear cobalt carbonyl complex with mixed valence, $Co^0Co^I(\mu\text{-}Ph_2Ppy)_2(\mu\text{-}CO)(CO)Cl$ (Ph_2Ppy = diphenylphosphinopyridine), synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, Z. Xi, X.-K. Yao, R.-J. Wang), (376) 123

Carbonylcobalt complexes of ethynylhydrogenosilanes, formation and reactions of (R.J.P. Corriu, J.J.E. Moreau, H. Praet), (376) C39

$(C_5H_5Co)_3(\mu_3\text{-}\eta^2:\eta^2:\eta^2$-benzene), electronic structure of (H. Wadepohl, L. Zhu), (376) 115

Copper

Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2 \cdot$ glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$, $AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149

Germanium

Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27

3-Organyl-silyl and -germyl propynals and their carbon analogues, aldol-type condensation of methyl diazoacetate with (O.I. Margorskaya, A.S. Medvedeva, M.M. Demina, I.D. Kalikhman, M.G. Voronkov), (376) 31

Palladium-catalysed reduction of acyl chlorides with tributylgermanium hydride (L. Geng, X. Lu), (376) 41

Gold

Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2 \cdot$ glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$, $AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149

Hafnium

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

Iridium

Carbon dioxide in the presence of $RhCl(CO)(PPh_3)_2$ and $IrCl(CO)(PPh_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133

Iron

Antimony-iron mixed carbonyl clusters: $[R_4N][SbFe_4(CO)_{16}]$ (R = Me, Et) and $[Et_4N]_2[Sb_2Fe_6(CO)_{20}]$, synthesis and structures of (S. Luo, K.H. Whitmire), (376) 297

$[(C_5H_5)Fe(\eta^6\text{-}C_8H_8)]PF_6$, synthesis and crystal structure of (J. Heck, W. Massa), (376) C15

Ferrocenes derived from isodicyclopentadiene and tricyclo[5.2.1.$0^{2,6}$]deca-2,5,8-triene (V. Bhide, P. Rinaldi, M.F. Farone), (376) 91

Lipophilic macrocyclic host molecules containing multiple ferrocenyl redox-active centres (P.D. Beer, A.C. Smythe, E.L. Tite, A. Ibbotson), (376) C11

Nitrosylcarbonyliron complexes, catalytic alkylations of allylic carbonates under argon in the presence of (J.-L. Roustan, M. Abedini, H.H. Baer), (376) C20

Phenyl-substituted cyclobutane and cyclopropane derivatives, photolysis and thermolysis of (R.L. Trace, W.M. Jones), (376) 103

Sulphur-bridged trinuclear carbonylalkynyliron clusters, preparation, properties and structure of (Th. Fassler, G. Huttner), (376) 367

Lithium

Complex bases from organolithium compounds and various sodium alkoxides, properties of (L. Lochmann), (376) 1

Heterobimetallic bridged alkynide complex, $(C_5Me_5)Y(\mu\text{-}C{\equiv}CCMe_3)_2Li(THF)$, synthesis and X-ray structure of (W.J. Evans, D.K. Drummond, T.P. Hanusa, J.M. Olofson), (376) 311

Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27

Manganese

Carbonyl dimers with mixed bridges $[(CO)_4\overline{M(H)M(L)}(CO)_4]_n$ ($n = 2-, 0$), electronic structure of (B.J. Trzebiatowska, B. Nissen-Sobocińska, L. Natkaniec), (376) 67

Mercury

Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7

Metallocenes

Bis(pentamethylcyclopentadienyl)zinc and bis(tetramethylphenylcyclopentadienyl)zinc, solid state structures of (B. Fischer, P. Wijkens, J. Boersma, G. van Koten, W.J.J. Smeets, A.L. Spek, P.H.M. Budzelaar), (376) 223

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

$[(C_5H_5)Fe(\eta^6\text{-}C_8H_8)]PF_6$, synthesis and crystal structure of (J. Heck, W. Massa), (376) C15

Ferrocenes derived from isodicyclopentadiene and tricyclo[5.2.1.$0^{2,6}$]deca-2,5,8-triene (V. Bhide, P. Rinaldi, M.F. Farone), (376) 91

Lipophilic macrocyclic host molecules containing multiple ferrocenyl redox-active centres (P.D. Beer, A.C. Smythe, E.L. Tite, A. Ibbotson), (376) C11

Molybdenum

Aminomethyldiphenylphosphine-molybdenum complexes, synthesis and reactivity of; crystal structure of *cis*-$Mo(CO)_4(Ph_2PCH_2NHC_6H_4Me\text{-}p)_2]$ (D.L. Davies, F.I. Healey, J. Howarth, D.R. Russell, L.J.S. Sherry), (376) C31

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

Carbonyl dimers with mixed bridges $[(CO)_4\overline{M(H)M(L)}(CO)_4]_n$ ($n = 2-, 0$), electronic structure of (B.J. Trzebiatowska, B. Nissen-Sobocińska, L. Natkaniec), (376) 67

Nickel

Nickel(0) olefin complexes of methylenecyclopropane and cyclopropene, preparation and structural characterisation of (L.S. Isaeva, T.A. Peganova, P.V. Petrovskii, D.N. Kravtsov), (376) 141

Silyl-nickel complexes prepared by η^6-arene substitution in (η^6-toluene)bis(trihalosilyl)nickel; preparation of $L_3Ni(SiX_3)_2$ and $L_2Ni(SiX_3)_2$ (X = Cl, F; L = phosphine, phosphites, and pyridines); X-ray structure of *cis*-$(collidine)_2Ni(SiCl_3)_2$ (S.-B. Choe, J.J. Schneider, K.J. Klabunde, L.J. Radonovich, T.A. Ballantine), (376) 419

Niobium

Tetraarsacyclobutadiene as a complex ligand (O.J. Scherer, J. Vondung, G. Wolmershäuser), (376) C35

Osmium

[Diphenylboratobis(η^5-cyclopentadienyl,η^6-phenylruthenium(II)]$^+$ cation, formation mechanism of (T. Wilczewski), (376) 385

$Os_3H_2(CO)_9(C_6H_4)$, reaction with diphenylacetylene of; formation and structural characterisation of $Os_3(CO)_7(C_6H_4)[PhCC(H)Ph]_2$ (H. Chen, B.F.G. Johnson, J. Lewis, P.R. Raithby), (376) C7

Palladium

Palladium-catalysed reduction of acyl chlorides with tributylgermanium hydride (L. Geng, X. Lu), (376) 41

Phosphorus

1-Aminoalkanephosphonic acids, addition of diethyl phosphite to *N*-diisobutylaluminio-aldimines (Z.H. Kudzin, M.W. Majchrzak), (376) 245

Aminomethyldiphenylphosphine-molybdenum complexes, synthesis and reactivity of; crystal structure of *cis*-$Mo(CO)_4(Ph_2PCH_2NHC_6H_4Me\text{-}p)_2]$ (D.L. Davies, F.I. Healey, J. Howarth, D.R. Russell, L.J.S. Sherry), (376) C31

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

Bisphosphinodihalogenosilanes, preparation of 1,3-diphospha-2-silaallyl anions from (K. Hassler, F. Mitter, B. Reiter), (376) C1

Carbon dioxide in the presence of $RhCl(CO)(PPh_3)_2$ and $IrCl(CO)(PPh_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133

Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2 \cdot$ glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$, $AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149

Halo/n-alkyl mixed chromium(III) compound, synthesis, structure, and reactivity of $Cr(n\text{-}Bu)_2Cl$-$[(Me_2PCH_2)_3CMe]$ (E.G. Thaler, K. Folting, J.C. Huffman, K.G. Caulton), (376) 343

Organophosphorus and organosilicon derivatives of sterically hindered phenols (S.D. Pastor, E.T. Hessell), (376) 21

η^3-Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmair, F.R. Kreissl), (376) 45

Rhodium

Carbon dioxide in the presence of $RhCl(CO)(PPh_3)_2$ and $IrCl(CO)(PPh_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133

$(Me_3P)_3Rh(Me)$, reaction with toluene to give $(Me_3P)_3Rh(Ar)$ (Ar = *o*-, *m*- and *p*-tolyl) of (R.T. Price, R.A. Andersen, E.L. Muetterties), (376) 407

Ruthenium

μ-Amidocarbonylruthenium complexes, bridging in; crystal structure of $[Ru_3(\mu\text{-}H)(\mu\text{-}H_3N_2\text{-}4,5\text{-}Me_2\text{-}1,2\text{-phenylene})]$ (J.A. Cabeza, V. Riera, M.A. Pellinghelli, A. Tiripicchio), (376) C23

[Diphenylboratobis(η^5-cyclopentadienyl,η^6-phenylruthenium(II)]$^+$ cation, formation mechanism of (T. Wilczewski), (376) 385

Samarium

η^6-*m*-Xylenesamariumtris(aluminum tetrachlorides), synthesis and molecular structure (B. Fan, Q. Shen, Y. Lin), (376) 61

Selenium

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

Silicon

Bisphosphinodihalogenosilanes, preparation of 1,3-diphospha-2-silaallyl anions from (K. Hassler, F. Mitter, B. Reiter), (376) C1

Carbonylcobalt complexes of ethynylhydrogenosilanes, formation and reactions of (R.J.P. Corriu, J.J.E. Moreau, H. Praet), (376) C39

1,1-Dimethylsilabutadiene, gas phase reactions of (R.T. Conlin, M. Namavari), (376) 259

Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27

Methylchorosilanes, direct synthesis of (*Review*) (M.P. Clark), (376) 165

Organophosphorus and organosilicon derivatives of sterically hindered phenols (S.D. Pastor, E.T. Hessell), (376) 21

3-Organyl-silyl and -germyl propynals and their carbon analogues, aldol-type condensation of methyl diazoacetate with (O.I. Margorskaya, A.S. Medvedeva, M.M. Demina, I.D. Kalikhman, M.G. Voronkov), (376) 31

Si,Si′-substituted 1,2-bis(dimethylsilylmethyl)diacetylhydrazines, synthesis and chirality of (I.D. Kalikhman, B.A. Gostevskii, O.B. Bannikova, M.G. Voronkov, V.A. Pestunovich), (376) 249

Silyl-nickel complexes prepared by η^6-arene substitution in (η^6-toluene)bis(trihalosilyl)nickel; preparation of $L_3Ni(SiX_3)_2$ and $L_2Ni(SiX_3)_2$ (X = Cl, F; L = phosphine, phosphites, and pyridines); X-ray structure of *cis*-$(collidine)_2Ni(SiCl_3)_2$ (S.-B. Choe, J.J. Schneider, K.J. Klabunde, L.J. Radonovich, T.A. Ballantine), (376) 419

1-Triethoxysilyl-1-alkenes, synthesis by cross-metathesis of vinyltriethoxysilane with 1-alkenes of (Z. Foltynowicz, B. Marciniec), (376) 15

Silver

Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2 \cdot$ glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$, $AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149

Sodium

Complex bases from organolithium compounds and various sodium alkoxides, properties of (L. Lochmann), (376) 1

Sulphur

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

$\{\eta^6$-1,4-$(CH_3SO_3)_2C_6H_4\}Cr(CO)_3$, synthesis, characterization, and reactivity of (M.E. Wright), (376) 353

Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7

Sulphur-bridged trinuclear carbonylalkynyliron clusters, preparation, properties and structure of (Th. Fassler, G. Huttner), (376) 367

Tellurium

Telluronium heterocyclic β-diketonates, synthesis, spectra and biological activity of (K.M. Prasad, N.R. Rao, M.C. Ganorkar, C.M. Chary), (376) 53

Tin

Allylstannation of aldehydes by crotyltin chlorides in acid media (D. Marton, G. Tagliavini, N. Vanzan), (376) 269

Bromodestannylation reactions of some functionally substituted organotin compounds (A.B. Chopa, L.C. Koll, J.C. Podestá, T.N. Mitchell), (376) 283

Triphenyltin(IV) chloroacetate, $[(C_6H_5)_3SnOC(O)CH_2Cl]$, $VT^{119m}Sn$ Mössbauer spectroscopy and X-ray crystallography of (S.W. Ng, K.L. Chin, C. Wei, V.G. Kumar Das, R.J. Butcher), (376) 277

Tungsten

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

η^3-Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmair, F.R. Kreissl), (376) 45

Tungsten(II) metallacycles via two-dimensional indirect (^1H, ^{183}W) NMR spectroscopy, ^{183}W NMR data for (R. Benn, A. Rufińska, M.A. King, C.E. Osterberg, T.G. Richmond), (376) 359

Yttrium

Heterobimetallic bridged alkynide complex, $(C_5Me_5)Y(\mu\text{-}C{\equiv}CCMe_3)_2Li(THF)$, synthesis and X-ray structure of (W.J. Evans, D.K. Drummond, T.P. Hanusa, J.M. Olofson), (376) 311

Zinc

Bis(pentamethylcyclopentadienyl)zinc and bis(tetramethylphenylcyclopentadienyl)zinc, solid state structures of (B. Fischer, P. Wijkens, J. Boersma, G. van Koten, W.J.J. Smeets, A.L. Spek, P.H.M. Budzelaar), (376) 223

Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7

Organozinc compounds, regioselectivity towards α-iminoesters of (G. Courtois, L. Miginiac), (376) 235

Zirconium

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

Book review

The nuclear Overhauser effect in structural and conformational analysis; by D. Neuhaus, M. Williamson (G. Lawless), (376) C44